

Classification
 Order Actiniaria
 Family Actiniidae
 Genus Oulactis
 Species ***Oulactis muscosa*** (Drayton in Dana, 1846)

Reference: [Acuña FH, Excoffon AC, Ricci L. 2007. Composition, biometry and statical relationship between the cnidom and body size in the sea anemone Oulactis muscosa \(Cnidaria: Actiniaria\). Journal of the Marine Biological Association of the United Kingdom 87: 415-4](#)

Tissue	Cnida type	Range Length	Abundance
Tentacles	Basitrich	11.00–29.00	abundant
	Spirocyst	14.00–33.00	common
Actinopharynx	Microbasic b-mastigophore	21.00–37.00	common
	Basitrich	9.00–20.00	abundant
	Microbasic p-mastigophore	12.00–27.00	scarce/present
Acrorhagi	Basitrich	12.00–29.00	scarce/present
	Holotrich I	41.00–81.00	common
	Holotrich II	42.00–73.00	abundant
	Spirocyst	17.00–41.00	present
Column	Basitrich I	15.00–26.00	abundant
	Basitrich II	8.00–16.00	scarce
	Holotrich	15.00–30.00	common
Mesenterial filaments	Microbasic b-mastigophore	23.00–52.00	abundant
	Basitrich	9.00–25.00	common
	Microbasic p-mastigophore	14.00–28.00	scarce