

	Classification
Order	Actiniaria
Family	Hormathiidae
Genus	Phelliactis
Species	<i>Phelliactis callicyclus</i> Riemann-Zürneck, 1973

Reference: [Riemann-Zürneck K. 1973. Actiniaria des Südwatlantik. Hormathiidae, I. Helgolander wiss. Meeresunters 25: 273-325.](#)

Tissue	Cnidae type	Range Length x Width*
Tentacles	basitrichs 1	34-53 x 3-3.5
	basitrichs 2	13-23.5 x 2-2.5
	spirocysts maximal	57-62
Column	basitrichs 1	18-27 x 2.5-3
	basitrichs 2	14.5-17 x 2
	p-mastigophore	40-47 x 5-5.5
Actinopharynx	basitrichs 1	38-47 x 3-3.5
	basitrichs 2	18-23.5 x 2.5
	p-mastigophore	31-41.5 x 4-4.5
Mesenterial filaments	basitrichs 1	39-60 x 3-3.5
	basitrichs 2	14.5-23 x 2-2.5
	p-mastigophore	30-39 x 4
Acontia	basitrichs 1	41.5-62.5 x 3-3.5
	basitrichs 2	14-23.5 x 2-2.5

Notes:

*All ranges were built taking maximal and minimal values obtained of four holotypes (121 F, 121 E, 121 A and 339B)

No photo available